

(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 1 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

as)

SMD C TYPE EVERLIGHT
EVERLIGHT
NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
TEL:886-2685-6688
FAX:886-2685-6699
E-MAIL: lindawang@everlight.com
LI LING WANG
SMD C TYPE 57 SERIES
Sampling Product: 57-11-C70500H-JL9IL0DADB2737-BT-AM-SGS-12-Apr-2024
Dashboard / Door Lamp
0.0865 g
SMD C TYPE 57 SERIES
Sampling Product: 57-11-C70500H-JL9IL0DADB2737-BT-AM
T240212L04F969R
TAIWAN
CUTTING
RoHS: IEC 62321, Halogen: BS EN 14582
Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg

(Sample Submitted By) : (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) : 28-Mar-2024

(Testing Period) : 28-Mar-2024 to 12-Apr-2024

(Test Results) : (Please refer to following pages).





PIN CODE: 28EE09E



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 2 of 23

(EVERLIGHT ELECTRONICS CO., LTD.) b-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

: (1)

(2)

: (1)

(2)

No.1 : No.2 : No.3 : No.4 :

(Method) (Unit) (Limit)

No.1 No.2 No.3 mg/kg 2 n.d. --- --- 100

mg/kg 2 6.67



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 3 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	No.1	(Result) No.2	No.3	(Limit)
	IEC 62321-4: 2013+ AMD1:	mg/kg	2	n.d.			1000
	2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)						
	IEC 62321-7-2: 2017	mg/kg	8	n.d.			1000
	(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)						
(Monobromobiphenyl)		mg/kg	5	n.d.			-
(Dibromobiphenyl)		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
(Pentabromobiphenyl)		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
	IEC 62321-6: 2015	mg/kg	5	n.d.			-
	/ (With	mg/kg	5	n.d.			-
	reference to IEC 62321-6:	mg/kg	-	n.d.			1000
(Monobromodiphenyl ether)	2015, analysis was performed	mg/kg	5	n.d.			-
(Dibromodiphenyl ether)	by GC/MS.)	mg/kg	5	n.d.			-
(Tribromodiphenyl ether)	<i>by G G G G G G G G G G</i>	mg/kg	5	n.d.			-
(Tetrabromodiphenyl ether)		mg/kg	5	n.d.			-
(Pentabromodiphenyl ether)		mg/kg	5	n.d.			-
(Hexabromodiphenyl ether)		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
(Octabromodiphenyl ether)		mg/kg	5	n.d.			-
(Nonabromodiphenyl ether)		mg/kg	5	n.d.			-
		mg/kg	5	n.d.			-
(Dibromodiphe		mg/kg	-	n.d.			1000



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 4 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			MDL				
(M∈	ethod)	(Unit)		No 1	No 2	No 2	(Limit)
		mg/kg	50	No.1 n.d.	No.2	No.3	1000
		mg/kg	50	n.d.			1000
		mg/kg	50	n.d.			1000
		mg/kg	50	n.d.			1000
		mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-
		mg/kg	50	n.d.			-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsific

.



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 5 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 6 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)			MDL		(Result)		(Limit)
				No.1	No.2	No.3	
(Polycyclic Aromatic							
Hydrocarbons) (PAHs)							
(a) (Benzo[a]pyrene) (CAS No.:		mg/kg	0.2	n.d.			
50-32-8)							
(e) (Benzo[e]pyrene) (CAS No.:		mg/kg	0.2	n.d.			
192-97-2)							
(Benzo[a]anthracene) (CAS		mg/kg	0.2	n.d.			
No.: 56-55-3)							
(b) (Benzo[b]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 205-99-2)							
(j) (Benzo[j]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 205-82-3)							
(k) (Benzo[k]fluoranthene)		mg/kg	0.2	n.d.			
(CAS No.: 207-08-9)	A fPS GS 2019:01 PAK						
(Chrysene) (CAS No.: 218-01-9)	/ (With	mg/kg	0.2	n.d.			
(Dibenzo[a,h]anthracene)	reference to AfPS GS 2019:01	mg/kg	0.2	n.d.			
(CAS No.: 53-70-3)	PAK, analysis was performed						
(Benzo[g,h,i]perylene) (CAS	by GC/MS.)	mg/kg	0.2	n.d.			
No.: 191-24-2)							
(Indeno[1,2,3-c,d]pyrene)		mg/kg	0.2	n.d.			
(CAS No.: 193-39-5)							
(Anthracene) (CASNo.: 120-12-7)		mg/kg	0.2	n.d.			
(Fluoranthene) (CAS No.: 206-		mg/kg	0.2	n.d.			
44-0)							
(Phenanthrene) (CAS No.: 85-01-		mg/kg	0.2	n.d.			
8)							
(Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.			
(Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.			
15 (Sum of 15		mg/kg	-	n.d.			
PAHs)							



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 7 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)		(Result)			(Limit)
(Test Rems)	(iviethod)	(OTIIL)		No.1	No.2	No.3	(LIIIIII)
(Be) (Beryllium (Be)) (CASNo.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.)	mg/kg	2	n.d.			-
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013  (IEC 62321-5: 2013  application of modified digestion by surface etching, analysis was performed by ICP-OES.)		2		n.d.		100
(Pb) (Lead (Pb))			2		n.d.		1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (IEC 62321-4: 2013+AMD1: 2017 application of modified digestion by surface etching, analysis was performed by ICP- OES.)	mg/kg	2		n.d.		1000
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013,	mg/kg	2			n.d.	100
(Pb) (Lead (Pb))	analysis was performed by ICP-OES.)	mg/kg	2			10.1	1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017  (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2			n.d.	1000



(No.): ETR24305705 (Date): 12

(Date): 12-Apr-2024 (Page): 8 of 23



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 9 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark

(AfPS): GSPAHs

AfPS (German commission for Product Safety): GS PAHs requirements

1 (Category 1) 2 (Category 2) 3 (Category 3)

( 30 )
2009/48/EC 3
(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 10 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFAS Rem	ark					
F	PFAS	PFAS		PFAS		
				PFAS		PFAS
		(	PFAS		PFAS	)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

(Group Name)	(Substance Name)	CAS No.
PFOS, & (PFOS, its salts & derivatives)	(Perfluorooctane sulfonates) (PFOS)	1763-23-1
	(PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K)	2795-39-3
	(PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
	$\label{eq:PFOS-NH4} \mbox{(PFOS-NH_4)}$ Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH4)	29081-56-9
	$\label{eq:pfosnh}  (PFOS-NH(OH)_2) \\ Perfluorooctane sulfonate diethanolamine salt \\ (PFOS-NH(OH)_2) \\$	70225-14-8
	$(PFOS-N(C_2H_5)_4)\\ Perfluorooctanesulfonic\\ acid, tetraethylammonium salt(PFOS-N(C_2H_5)_4)\\$	56773-42-3
	(PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 11 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Group Name)	(Substance Name)	CAS No.
PFOS, & (PFOS, its salts & derivatives)	(PO SF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	(PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	(PFO S-N a) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	(Perfluorooctanoic acid) (PFOA)	335-67-1
	(PFO A - N a) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	(PFO A - K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
PFOA, &	(PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
(PFOA, its salts & derivatives)	(PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	(APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	(PFO A - Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5



(No.): ETR24305705 (Date): 12-Apr-2024


(Page): 12 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### / Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

Cr<sup>6+</sup> test method excluded





(No.): ETR24305705

(Date): 12-Apr-2024


(Page): 13 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Flow chart of stripping method for metal analysis

/ The plating layer

of samples were dissolved totally by pre-conditioning method according to below flow chart.  $Cr^{6+}$  test method excluded





(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 14 of 23

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - PBBs/PBDEs

/ First testing process
/ Optional screen process
/ Confirmation process

/ Sample pretreatment

/ Screen analysis

/ Sample extraction
/ Soxhlet method

/
Concentrate/Dilute extracted solution

/ Filter

/ GC/MS

/ Data



(No.): ETR24305705


(Date): 12-Apr-2024

(Page): 15 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8





(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 16 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart




(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 17 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### / Analytical flow chart - Halogen






(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 18 of 23

(EVERLIGHT ELECTRONICS CO., LTD.) b-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( / / ) / Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)





(No.): ETR24305705


(Date): 12-Apr-2024

(Page): 19 of 23

rest report

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 20 of 23


1031100011

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( ) / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052



\* US EPA 3051A

/ US EPA 3051A method does not add HF.



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 21 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

**ICP-OES** 

(Flow chart of digestion for the elements analysis performed by ICP-OES)



(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 22 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

\*

(The tested sample / part is marked by an arrow if it's shown on the photo.)







(No.): ETR24305705

(Date): 12-Apr-2024

(Page): 23 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





\* (End of Report) \*\*